

## ARRONE® Grade 316 Stainless Steel Furniture

### Return to Door Lever on Concealed Fix Rectangular Plate (sprung) – Ø 19mm


#### features


- Supplied with both wood screw and bolt through fixings
- Grub screw fixing onto 8mm x 110mm spindle
- Suitable for 40mm to 50mm door thickness
- Longer spindle available for thicker doors: see end of this section
- Bolt through fixings suitable for UK size locks and DIN standard locks




#### standards and certification

 Manufactured by an ISO 9000 Registered Company

 **Conformity Statement:** Meets the dimensional recommendations of BS8300 and Approved Document "M"




ID NO	PRODUCT REF	DESCRIPTION	FINISH
87100962	<b>AR361/11-SSS</b>	Long plate latch furniture	<b>SSS</b>
87100963	<b>AR361/11-PSS</b>	Long plate latch furniture	<b>PSS</b>
87100964	<b>AR361/12-SSS</b>	Lock furniture 57mm centres	<b>SSS</b>
87100965	<b>AR361/12-PSS</b>	Lock furniture 57mm centres	<b>PSS</b>
87100966	<b>AR361/13-SSS</b>	Euro profile lock furniture 47.6mm centres	<b>SSS</b>
87100967	<b>AR361/13-PSS</b>	Euro profile lock furniture 47.6mm centres	<b>PSS</b>
87100968	<b>AR361/13-72-SSS</b>	Euro profile lock furniture 72mm centres	<b>SSS</b>
87100969	<b>AR361/13-72-PSS</b>	Euro profile lock furniture 72mm centres	<b>PSS</b>
87100970	<b>AR361/13-51-SSS</b>	Euro profile lock furniture 51mm centres	<b>SSS</b>
87100971	<b>AR361/13-51-PSS</b>	Euro profile lock furniture 51mm centres	<b>PSS</b>
87100972	<b>AR361/14-SSS</b>	Oval profile lock furniture 48.5mm centres	<b>SSS</b>
87100973	<b>AR361/14-PSS</b>	Oval profile lock furniture 48.5mm centres	<b>PSS</b>
87100974	<b>AR361/15-SSS</b>	Bathroom furniture 57mm centres	<b>SSS</b>
87100975	<b>AR361/15-PSS</b>	Bathroom furniture 57mm centres	<b>PSS</b>
87100976	<b>AR361/15-78-SSS</b>	Bathroom furniture 78mm centres	<b>SSS</b>
87100977	<b>AR361/15-78-PSS</b>	Bathroom furniture 78mm centres	<b>PSS</b>



# ARRONE® Grade 316 Door Furniture

## ARRONE® Grade 316 Stainless Steel Furniture



### Straight Lever on 6mm Round Rose Stainless Steel Underplate (sprung & unsprung) – Ø 19mm

#### features

- Supplied with both wood screw and bolt through fixings (4 point hexagonal fixing)
- Grub screw fixing onto 8mm x 110mm spindle
- Suitable for 40mm to 50mm door thickness
- Longer spindle available for thicker doors: see end of this section

#### standards and certification



**Quality & Performance:** Successfully type tested to all the requirements of BS EN1906: 2002 Grade 3 (Test reports/certificates are available on request).  
NOTE: The classification shown is for the sprung version. Unsprung versions have a "U" in digit 8

3	7	-	1*	1	4	0	B
---	---	---	----	---	---	---	---



**Fire Safety:** Included on a successful fire test to BS EN1634 Part1: 2000. Assessed for use on 30 min, & 1 hour fire doors.



Manufactured by an ISO 9000 Registered Company

ID NO	PRODUCT REF	DESCRIPTION	FINISH
87100884	<b>AR363/60-SP-SSS</b>	19mm lever on 6mm rose (sprung)	<b>SSS</b>
87100885	<b>AR363/60-SP-PSS</b>	19mm lever on 6mm rose (sprung)	<b>PSS</b>
87104368	<b>AR363/60-UN-SSS</b>	19mm lever on 6mm rose (unsprung)	<b>SSS</b>
87104369	<b>AR363/60-UN-PSS</b>	19mm lever on 6mm rose (unsprung)	<b>PSS</b>

## ARRONE® Grade 316 Stainless Steel Furniture

### Straight Lever on 8mm Round Rose Stainless Steel Underplate (sprung) – Ø 19mm



#### features

- Supplied with both wood screw and bolt through fixings (4 point hexagonal fixing)
- Grub screw fixing onto 8mm x 110mm spindle
- Suitable for 40mm to 50mm door thickness
- Longer spindle available for thicker doors: see end of this section

#### standards and certification



**Quality & Performance:** Successfully type tested to all the requirements of BS EN1906: 2002 Grade 3 (Test reports/certificates are available on request)


3	7	-	1*	1	4	0	B
---	---	---	----	---	---	---	---



**Fire Safety:** Included on a successful fire test to BS EN1634 Part1: 2000. Assessed for use on 30 min, & 1 hour fire doors.




Manufactured by an ISO 9000 Registered Company



ID NO	PRODUCT REF	DESCRIPTION	FINISH
87104364	<b>AR363/10-SP-SSS</b>	19mm lever on 8mm rose (sprung)	<b>SSS</b>

# ARRONE® Grade 316 Door Furniture

## ARRONE® Grade 316 Stainless Steel Furniture



### Mitred Lever on 6mm Round Rose Stainless Steel Underplate (sprung & unsprung) – Ø 19mm

#### features

- Supplied with both wood screw and bolt through fixings (4 point hexagonal fixing)
- Grub screw fixing onto 8mm x 110mm spindle
- Suitable for 40mm to 50mm door thickness
- Longer spindle available for thicker doors: see end of this section

#### standards and certification



**Quality & Performance:** Successfully type tested to all the requirements of BS EN1906: 2002 Grade 3 (Test reports/certificates are available on request).  
NOTE: The classification shown is for the sprung version. Unsprung versions have a "U" in digit 8

3	7	-	1*	1	4	0	B
---	---	---	----	---	---	---	---



**Fire Safety:** Included on a successful fire test to BS EN1634 Part1: 2000. Assessed for use on 30 min, & 1 hour fire doors.



Manufactured by an ISO 9000 Registered Company

ID NO	PRODUCT REF	DESCRIPTION	FINISH
87100876	<b>AR364/60-SP-SSS</b>	19mm lever on 6mm rose (sprung)	<b>SSS</b>
87100877	<b>AR364/60-SP-PSS</b>	19mm lever on 6mm rose (sprung)	<b>PSS</b>
87104370	<b>AR364/60-UN-SSS</b>	19mm lever on 6mm rose (unsprung)	<b>SSS</b>
87104371	<b>AR364/60-UN-PSS</b>	19mm lever on 6mm rose (unsprung)	<b>PSS</b>

## ARRONE® Grade 316 Stainless Steel Furniture

### Mitred Lever on 8mm Round Rose Stainless Steel Underplate (sprung) – Ø 19mm

#### features

- Supplied with both wood screw and bolt through fixings (4 point hexagonal fixing)
- Grub screw fixing onto 8mm x 110mm spindle
- Suitable for 40mm to 50mm door thickness
- Longer spindle available for thicker doors: see end of this section

#### standards and certification



**Quality & Performance:** Successfully type tested to all the requirements of BS EN1906: 2002 Grade 3 (Test reports/certificates are available on request)


3	7	-	1*	1	4	0	B
---	---	---	----	---	---	---	---



**Fire Safety:** Included on a successful fire test to BS EN1634 Part1: 2000. Assessed for use on 30 min, & 1 hour fire doors.




Manufactured by an ISO 9000 Registered Company



ID NO	PRODUCT REF	DESCRIPTION	FINISH
87104365	<b>AR364/10-SP-SSS</b>	19mm lever on 8mm rose (sprung)	<b>SSS</b>

# ARRONE® Grade 316 Door Furniture

## ARRONE® Grade 316 Stainless Steel Furniture



### Scrolled Solid Stainless Steel Lever on 6mm Round Rose Stainless Steel Underplate (sprung & unsprung)

#### features

- Supplied with both wood screw and bolt through fixings (4 point hexagonal fixing)
- Grub screw fixing onto 8mm x 110mm spindle
- Suitable for 40mm to 50mm door thickness
- Longer spindle available for thicker doors: see end of this section

#### standards and certification



**Quality & Performance:** At the time of going to press this product was undergoing third party independent testing to BS EN1906: 2002



**Fire Safety:** Included on a successful fire test to BS EN1634 Part1: 2000. Assessed for use on 30 min, & 1 hour fire doors.



Manufactured by an ISO 9000 Registered Company

ID NO	PRODUCT REF	DESCRIPTION	FINISH
87100886	<b>AR365/60-SP-SSS</b>	Lever on 6mm rose (sprung)	<b>SSS</b>
87100887	<b>AR365/60-SP-PSS</b>	Lever on 6mm rose (sprung)	<b>PSS</b>
87105770	<b>AR365/60-UN-SSS</b>	Lever on 6mm rose (unsprung)	<b>SSS</b>

## ARRONE® Grade 316 Stainless Steel Furniture

### T-Bar Lever on 6mm Round Rose – Stainless Steel Underplate (sprung & unsprung) – Ø 19mm



#### features

- Supplied with both wood screw and bolt through fixings (4 point hexagonal fixing)
- Grub screw fixing onto 8mm x 110mm spindle
- Suitable for 40mm to 50mm door thickness
- Longer spindle available for thicker doors: see end of this section

#### standards and certification



**Quality & Performance:** Successfully type tested to all the requirements of BS EN1906: 2002 Grade 3 (Test reports/certificates are available on request).  
NOTE: The classification shown is for the sprung version. Unsprung versions have a "U" in digit 8


3	7	-	1*	1	4	0	B
---	---	---	----	---	---	---	---



**Fire Safety:** Included on a successful fire test to BS EN1634 Part1: 2000. Assessed for use on 30 min, & 1 hour fire doors.




Manufactured by an ISO 9000 Registered Company



ID NO	PRODUCT REF	DESCRIPTION	FINISH
87100878	<b>AR366/60-SP-SSS</b>	19mm lever on 6mm rose (sprung)	<b>SSS</b>
87100879	<b>AR366/60-SP-PSS</b>	19mm lever on 6mm rose (sprung)	<b>PSS</b>
87104372	<b>AR366/60-UN-SSS</b>	19mm lever on 6mm rose (unsprung)	<b>SSS</b>
87104373	<b>AR366/60-UN-PSS</b>	19mm lever on 6mm rose (unsprung)	<b>PSS</b>

# ARRONE® Grade 316 Door Furniture

## ARRONE® Grade 316 Stainless Steel Furniture



### Curved T-Bar Lever on 6mm Rose (sprung) – Ø 19mm

#### features

- Supplied with both wood screw and bolt through fixings (4 point hexagonal fixing)
- Grub screw fixing onto 8mm x 110mm spindle
- Suitable for 40mm to 50mm door thickness
- Longer spindle available for thicker doors: see end of this section

#### standards and certification



**Quality & Performance:** Successfully type tested to all the requirements of BS EN1906: 2002 Grade 3 (Test reports/certificates are available on request)

3	7	-	1*	1	4	0	B
---	---	---	----	---	---	---	---



**Fire Safety:** Included on a successful fire test to BS EN1634 Part1: 2000. Assessed for use on 30 min, & 1 hour fire doors.



Manufactured by an ISO 9000 Registered Company

ID NO	PRODUCT REF	DESCRIPTION	FINISH
87104374	<b>AR367/60-SP-SSS</b>	19mm lever on 6mm rose (sprung)	<b>SSS</b>
87104375	<b>AR367/60-SP-PSS</b>	19mm lever on 6mm rose (sprung)	<b>PSS</b>



## ARRONE® Grade 316 Stainless Steel Furniture

### Wave T-Bar Lever on 6mm Rose (sprung) – Ø 19mm

#### features

- Supplied with both wood screw and bolt through fixings (4 point hexagonal fixing)
- Grub screw fixing onto 8mm x 110mm spindle
- Suitable for 40mm to 50mm door thickness
- Longer spindle available for thicker doors: see end of this section

#### standards and certification



**Quality & Performance:** Successfully type tested to all the requirements of BS EN1906: 2002 Grade 3 (Test reports/certificates are available on request)


3	7	-	1*	1	4	0	B
---	---	---	----	---	---	---	---



**Fire Safety:** Included on a successful fire test to BS EN1634 Part1: 2000. Assessed for use on 30 min, & 1 hour fire doors.




Manufactured by an ISO 9000 Registered Company



ID NO	PRODUCT REF	DESCRIPTION	FINISH
87104376	<b>AR368/60-SP-SSS</b>	19mm lever on 6mm rose (sprung)	<b>SSS</b>
87104377	<b>AR368/60-SP-PSS</b>	19mm lever on 6mm rose (sprung)	<b>PSS</b>

# ARRONE® Grade 316 Door Furniture

## ARRONE® Grade 316 Stainless Steel Furniture



### Curved Lever on 6mm Rose (sprung) – Ø 19mm

#### features

- Supplied with both wood screw and bolt through fixings (4 point hexagonal fixing)
- Grub screw fixing onto 8mm x 110mm spindle
- Suitable for 40mm to 50mm door thickness
- Longer spindle available for thicker doors: see end of this section

#### standards and certification



**Quality & Performance:** Successfully type tested to all the requirements of BS EN1906: 2002 Grade 3 (Test reports/certificates are available on request)

3	7	-	1*	1	4	0	B
---	---	---	----	---	---	---	---



**Fire Safety:** Included on a successful fire test to BS EN1634 Part1: 2000. Assessed for use on 30 min, & 1 hour fire doors.



Manufactured by an ISO 9000 Registered Company

ID NO	PRODUCT REF	DESCRIPTION	FINISH
87104378	<b>AR369/60-SP-SSS</b>	19mm lever on 6mm rose (sprung)	<b>SSS</b>
87104379	<b>AR369/60-SP-PSS</b>	19mm lever on 6mm rose (sprung)	<b>PSS</b>

## ARRONE<sup>®</sup> Grade 316 Stainless Steel Furniture

### Semi Circular Lever on 6mm Rose (unsprung) – Ø 19mm

#### features

- Supplied with both wood screw and bolt through fixings (4 point hexagonal fixing)
- Grub screw fixing onto 8mm x 110mm spindle
- Suitable for 40mm to 50mm door thickness
- Longer spindle available for thicker doors: see end of this section
- Suitable for use with ARRONE Plus escape locks

#### standards and certification



**Quality & Performance:** Successfully type tested to all the requirements of BS EN1906: 2002 Grade 3 (Test reports/certificates are available on request)

3	7	-	1*	1	4	0	U
---	---	---	----	---	---	---	---




**Fire Safety:** Included on a successful fire test to BS EN1634 Part1: 2000. Assessed for use on 30 min, & 1 hour fire doors.



Manufactured by an ISO 9000 Registered Company




**Conformity Statement:** Meets the dimensional recommendations of BS8300 and Approved Document "M"



ID NO	PRODUCT REF	DESCRIPTION	FINISH
87106278	<b>AR370/60-UN-SSS</b>	19mm lever on 6mm rose (unsprung)	<b>SSS</b>
87106279	<b>AR370/60-UN-PSS</b>	19mm lever on 6mm rose (unsprung)	<b>PSS</b>

# ARRONE® Grade 316 Door Furniture

## ARRONE® Grade 316 Stainless Steel Furniture



### Cranked Lever on 6mm Rose (unsprung) – Ø 19mm

#### features

- Supplied with both wood screw and bolt through fixings (4 point hexagonal fixing)
- Grub screw fixing onto 8mm x 110mm spindle
- Suitable for 40mm to 50mm door thickness
- Longer spindle available for thicker doors: see end of this section
- Suitable for use with ARRONE Plus escape locks

#### standards and certification



**Quality & Performance:** Successfully type tested to all the requirements of BS EN1906: 2002 Grade 3 (Test reports/certificates are available on request)

3	7	-	1*	1	4	0	U
---	---	---	----	---	---	---	---



**Fire Safety:** Included on a successful fire test to BS EN1634 Part1: 2000. Assessed for use on 30 min, & 1 hour fire doors.



Manufactured by an ISO 9000 Registered Company



**Conformity Statement:** Meets the dimensional recommendations of BS8300 and Approved Document "M"

ID NO	PRODUCT REF	DESCRIPTION	FINISH
87106286	<b>AR374/60-UN-SSS</b>	19mm lever on 6mm rose (unsprung)	<b>SSS</b>
87106287	<b>AR374/60-UN-PSS</b>	19mm lever on 6mm rose (unsprung)	<b>PSS</b>

## ARRONE® Grade 316 Stainless Steel Furniture

### Shaped Lever on 6mm Rose (unsprung) – Ø 19mm

#### features

- Supplied with both wood screw and bolt through fixings (4 point hexagonal fixing)
- Grub screw fixing onto 8mm x 110mm spindle
- Suitable for 40mm to 50mm door thickness
- Longer spindle available for thicker doors: see end of this section
- Suitable for use with ARRONE Plus escape locks

#### standards and certification



**Quality & Performance:** Successfully type tested to all the requirements of BS EN1906: 2002 Grade 3 (Test reports/certificates are available on request)

3	7	-	1*	1	4	0	U
---	---	---	----	---	---	---	---




**Fire Safety:** Included on a successful fire test to BS EN1634 Part1: 2000. Assessed for use on 30 min, & 1 hour fire doors.



Manufactured by an ISO 9000 Registered Company



**Conformity Statement:** Meets the dimensional recommendations of BS8300 and Approved Document "M"



ID NO	PRODUCT REF	DESCRIPTION	FINISH
87106288	<b>AR375/60-UN-SSS</b>	19mm lever on 6mm rose (unsprung)	<b>SSS</b>
87106289	<b>AR375/60-UN-PSS</b>	19mm lever on 6mm rose (unsprung)	<b>PSS</b>

# ARRONE® Grade 316 Door Furniture

## ARRONE® Grade 316 Stainless Steel Escutcheons & Indicator Sets




### Concealed Fix Escutcheons (6mm)

#### features

- Ø 52mm with 38mm fixing centres
- Supplied with stainless steel understructure
- Supplied with wood screw fixings

ID NO	PRODUCT REF	DESCRIPTION	FINISH
87100946	<b>AR361/66-SSS</b>	6mm lever key escutcheon (pair)	<b>SSS</b>
87100947	<b>AR361/66-PSS</b>	6mm lever key escutcheon (pair)	<b>PSS</b>
87100948	<b>AR361/67-SSS</b>	6mm euro profile escutcheon (pair)	<b>SSS</b>
87100949	<b>AR361/67-PSS</b>	6mm euro profile escutcheon (pair)	<b>PSS</b>
87100950	<b>AR361/68-SSS</b>	6mm oval profile escutcheon (pair)	<b>SSS</b>
87100951	<b>AR361/68-PSS</b>	6mm oval profile escutcheon (pair)	<b>PSS</b>
87104380	<b>AR361/70-SSS</b>	6mm blank escutcheon (pair)	<b>SSS</b>
87104381	<b>AR361/70-PSS</b>	6mm blank escutcheon (pair)	<b>PSS</b>




### Bathroom Turns (6mm rose)

#### features

- Ø 52mm with 38mm fixing centres
- Supplied with stainless steel understructure
- 5mm spindle
- Supplied with wood screw fixings

ID NO	PRODUCT REF	DESCRIPTION	FINISH
87100952	<b>AR361/69-SSS</b>	6mm bathroom turn and indicator	<b>SSS</b>
87100953	<b>AR361/69-PSS</b>	6mm bathroom turn and indicator	<b>PSS</b>
87104388	<b>AR361/79-SSS</b>	6mm bathroom turn & release - NO indicator	<b>SSS</b>
87104389	<b>AR361/79-PSS</b>	6mm bathroom turn & release - NO indicator	<b>PSS</b>

1515527 **AR-6/7/8-SLEEVE** Spindle sleeve pack – converts 5m spindle to either 6, 7 or 8mm



## ARRONE® Grade 316 Stainless Steel Escutcheons & Indicator Sets


### Disabled Bathroom Turns (6mm rose)

#### features

- Ø 52mm with 38mm fixing centres
- Supplied with stainless steel understructure
- 5mm spindle
- Supplied with wood screw fixings



ID NO	PRODUCT REF	DESCRIPTION	FINISH
87100958	<b>AR361/69D-SSS</b>	6mm disabled bathroom turn and indicator	<b>SSS</b>
87100959	<b>AR361/69D-PSS</b>	6mm disabled bathroom turn and indicator	<b>PSS</b>
87104390	<b>AR361/79D-SSS</b>	6mm disabled bathroom turn & release - NO indicator	<b>SSS</b>
87104391	<b>AR361/79D-PSS</b>	6mm disabled bathroom turn & release - NO indicator	<b>PSS</b>
1515527	<b>AR-6/7/8-SLEEVE</b>	Spindle sleeve pack – converts 5m spindle to either 6, 7 or 8mm	



# ARRONE® Grade 316 Door Furniture

## ARRONE® Grade 316 Stainless Steel Escutcheons & Indicator Sets




### Concealed Fix Escutcheons (8mm rose)

#### features

- Ø 52mm with 38mm fixing centres
- Supplied with stainless steel understructure
- Supplied with wood screw fixings

ID NO	PRODUCT REF	DESCRIPTION	FINISH
87100940	<b>AR361/26-SSS</b>	8mm lever key escutcheon (pair)	<b>SSS</b>
87100941	<b>AR361/26-PSS</b>	8mm lever key escutcheon (pair)	<b>PSS</b>
87100942	<b>AR361/27-SSS</b>	8mm euro profile escutcheon (pair)	<b>SSS</b>
87100943	<b>AR361/27-PSS</b>	8mm euro profile escutcheon (pair)	<b>PSS</b>
87100944	<b>AR361/28-SSS</b>	8mm oval profile escutcheon (pair)	<b>SSS</b>
87100945	<b>AR361/28-PSS</b>	8mm oval profile escutcheon (pair)	<b>PSS</b>
87104382	<b>AR361/30-SSS</b>	8mm blank escutcheon (pair)	<b>SSS</b>
87104383	<b>AR361/30-PSS</b>	8mm blank escutcheon (pair)	<b>PSS</b>




### Bathroom Turns (8mm rose)

#### features

- Ø 52mm with 38mm fixing centres
- Supplied with stainless steel understructure
- 5mm spindle
- Supplied with wood screw fixings

ID NO	PRODUCT REF	DESCRIPTION	FINISH
87100954	<b>AR361/29-SSS</b>	8mm bathroom turn and indicator	<b>SSS</b>
87100955	<b>AR361/29-PSS</b>	8mm bathroom turn and indicator	<b>PSS</b>
87104384	<b>AR361/39-SSS</b>	8mm bathroom turn & release - NO indicator	<b>SSS</b>
87104385	<b>AR361/39-PSS</b>	8mm bathroom turn & release - NO indicator	<b>PSS</b>

1515527 **AR-6/7/8-SLEEVE** Spindle sleeve pack – converts 5m spindle to either 6, 7 or 8mm





## ARRONE<sup>®</sup> Grade 316 Stainless Steel Escutcheons & Indicator Sets


### Disabled Bathroom Turns (8mm rose)

#### features

- Ø 52mm with 38mm fixing centres
- Supplied with stainless steel understructure
- 5mm spindle
- Supplied with wood screw fixings



ID NO	PRODUCT REF	DESCRIPTION	FINISH
87100956	<b>AR361/29D-SSS</b>	8mm disabled bathroom turn and indicator	<b>SSS</b>
87100957	<b>AR361/29D-PSS</b>	8mm disabled bathroom turn and indicator	<b>PSS</b>
87104386	<b>AR361/39D-SSS</b>	8mm disabled bathroom turn & release - NO indicator	<b>SSS</b>
87104387	<b>AR361/39D-PSS</b>	8mm disabled bathroom turn & release - NO indicator	<b>PSS</b>
1515527	<b>AR-6/7/8-SLEEVE</b>	Spindle sleeve pack – converts 5m spindle to either 6, 7 or 8mm	







# Architectural Pull Handles

# Architectural Pull Handles

## HOPPE Pull Handles (Grade 304 Stainless Steel)



Straight Pull Handles ('D' Handles) Ø 20mm – HOPPE Ref. E5040 Concealed Screw Fixing


### features

- Supplied with concealed screw fixing pack (756827) satin stainless steel (757916) polished stainless steel
- LRV Rating: HOPPE F69 (SSS) Finish LRV of 42.63
- LRV Rating: HOPPE F68 (PSS) Finish LRV of 41.16

### standards and certification



**Conformity Statement:** Pull Handles with a length of 400mm and above meet the dimensional recommendations of BS8300 and Approved Document "M"



ID NO	PRODUCT REF	DESCRIPTION	FINISH
8563014	<b>AR302/20/200CF-SSS</b>	20mm x 200mm concealed fixing pull handle	<b>SSS</b>
8563007	<b>AR302/20/200CF-PSS</b>	20mm x 200mm concealed fixing pull handle	<b>PSS</b>
8559563	<b>AR302/20/220CF-SSS</b>	20mm x 220mm concealed fixing pull handle	<b>SSS</b>
8559570	<b>AR302/20/220CF-PSS</b>	20mm x 220mm concealed fixing pull handle	<b>PSS</b>
8559577	<b>AR302/20/300CF-SSS</b>	20mm x 300mm concealed fixing pull handle	<b>SSS</b>
8559584	<b>AR302/20/300CF-PSS</b>	20mm x 300mm concealed fixing pull handle	<b>PSS</b>
8559591	<b>AR302/20/425CF-SSS</b>	20mm x 425mm concealed fixing pull handle	<b>SSS</b>
8559598	<b>AR302/20/425CF-PSS</b>	20mm x 425mm concealed fixing pull handle	<b>PSS</b>
8559605	<b>AR302/20/650CF-SSS</b>	20mm x 650mm concealed fixing pull handle	<b>SSS</b>
8559612	<b>AR302/20/650CF-PSS</b>	20mm x 650mm concealed fixing pull handle	<b>PSS</b>


## HOPPE Pull Handles (Grade 304 Stainless Steel)


### Straight Pull Handles ('D' Handles) Ø 20mm – HOPPE Ref. E5040 Bolt Through Fixing

#### features

- Supplied with bolt through fixings (606122)
- Suitable for 37mm to 57mm door thickness
- Also available with concealed screw fixing pack (756827-SSS) (757916-PSS)
- LRV Rating: HOPPE F69 (SSS) Finish LRV of 42.63
- LRV Rating: HOPPE F68 (PSS) Finish LRV of 41.16

#### standards and certification

 **Conformity Statement:** Pull Handles with a length of 400mm and above meet the dimensional recommendations of BS8300 and Approved Document "M"



ID NO	PRODUCT REF	DESCRIPTION	FINISH
8558800	<b>AR303/20/200BF-SSS</b>	20mm x 200mm bolt through pull handle	<b>SSS</b>
8558807	<b>AR303/20/200BF-PSS</b>	20mm x 200mm bolt through pull handle	<b>PSS</b>
8558814	<b>AR303/20/220BF-SSS</b>	20mm x 220mm bolt through pull handle	<b>SSS</b>
8558821	<b>AR303/20/220BF-PSS</b>	20mm x 220mm bolt through pull handle	<b>PSS</b>
8558828	<b>AR303/20/300BF-SSS</b>	20mm x 300mm bolt through pull handle	<b>SSS</b>
8558835	<b>AR303/20/300BF-PSS</b>	20mm x 300mm bolt through pull handle	<b>PSS</b>
8558849	<b>AR303/20/425BF-SSS</b>	20mm x 425mm bolt through pull handle	<b>SSS</b>
8558856	<b>AR303/20/425BF-PSS</b>	20mm x 425mm bolt through pull handle	<b>PSS</b>
8558842	<b>AR303/20/650BF-SSS</b>	20mm x 650mm bolt through pull handle	<b>SSS</b>
8558863	<b>AR303/20/650BF-PSS</b>	20mm x 650mm bolt through pull handle	<b>PSS</b>

### Straight Pull Handles ('D' Handles) Ø 25mm – HOPPE Ref. E5000 Bolt Through Fixing

#### features

- Suitable for 39mm to 49mm door thickness
- Supplied with bolt through fixing pack (618668)
- LRV Rating: HOPPE F69 (SSS) Finish LRV of 42.63
- LRV Rating: HOPPE F68 (PSS) Finish LRV of 41.16

ID NO	PRODUCT REF	DESCRIPTION	FINISH
8558870	<b>AR303/25/300BF-SSS</b>	25mm x 300mm bolt through pull handle	<b>SSS</b>
8558877	<b>AR303/25/300BF-PSS</b>	25mm x 300mm bolt through pull handle	<b>PSS</b>
8558884	<b>AR303/25/350BF-SSS</b>	25mm x 350mm bolt through pull handle	<b>SSS</b>
8558891	<b>AR303/25/350BF-PSS</b>	25mm x 350mm bolt through pull handle	<b>PSS</b>

# Architectural Pull Handles

## HOPPE Pull Handles (Grade 304 Stainless Steel)



### Straight Pull Handles ('D' Handles) Ø 20mm – HOPPE Ref. E5040 Back-to-Back Fixing

#### features

- Suitable for 37mm to 57mm door thickness
- Supplied with back-to-back fixing pack (606139)
- Also available with two concealed fixing packs (765827)
- LRV Rating: HOPPE F69 (SSS) Finish LRV of 42.63
- LRV Rating: HOPPE F68 (PSS) Finish LRV of 41.16

#### standards and certification



**Conformity Statement:** Pull Handles with a length of 400mm and above meet the dimensional recommendations of BS8300 and Approved Document "M"

ID NO	PRODUCT REF	DESCRIPTION	FINISH
8558926	<b>AR304/20/200BB-SSS</b>	20mm x 200mm back-to-back pull handle	<b>SSS</b>
8558961	<b>AR304/20/200BB-PSS</b>	20mm x 200mm back-to-back pull handle	<b>PSS</b>
8558933	<b>AR304/20/220BB-SSS</b>	20mm x 220mm back-to-back pull handle	<b>SSS</b>
8558968	<b>AR304/20/220BB-PSS</b>	20mm x 220mm back-to-back pull handle	<b>PSS</b>
8558940	<b>AR304/20/300BB-SSS</b>	20mm x 300mm back-to-back pull handle	<b>SSS</b>
8558975	<b>AR304/20/300BB-PSS</b>	20mm x 300mm back-to-back pull handle	<b>PSS</b>
8558947	<b>AR304/20/425BB-SSS</b>	20mm x 425mm back-to-back pull handle	<b>SSS</b>
8558982	<b>AR304/20/425BB-PSS</b>	20mm x 425mm back-to-back pull handle	<b>PSS</b>
8558954	<b>AR304/20/650BB-SSS</b>	20mm x 650mm back-to-back pull handle	<b>SSS</b>
8558989	<b>AR304/20/650BB-PSS</b>	20mm x 650mm back-to-back pull handle	<b>PSS</b>

### Straight Pull Handles ('D' Handles) Ø 25mm – HOPPE Ref. E5000 Back-to-Back Fixing

#### features

- Suitable for 37mm to 47mm door thickness
- Supplied with two back-to-back fixing bolts (600168)
- LRV Rating: HOPPE F69 (SSS) Finish LRV of 42.63
- LRV Rating: HOPPE F68 (PSS) Finish LRV of 41.16

ID NO	PRODUCT REF	DESCRIPTION	FINISH
8558996	<b>AR304/25/300BB-SSS</b>	25mm x 300mm back-to-back pull handle	<b>SSS</b>
8559010	<b>AR304/25/300BB-PSS</b>	25mm x 300mm back-to-back pull handle	<b>PSS</b>
8559003	<b>AR304/25/350BB-SSS</b>	25mm x 350mm back-to-back pull handle	<b>SSS</b>
8559017	<b>AR304/25/350BB-PSS</b>	25mm x 350mm back-to-back pull handle	<b>PSS</b>




## HOPPE Pull Handles (Grade 304 Stainless Steel)

### Cranked Pull Handles Ø 25mm – HOPPE Ref. E5100 Bolt Through Fixing

#### features

- Suitable for 39mm to 49mm door thickness
- Supplied with bolt through fixing pack (618668)
- LRV Rating: HOPPE F69 (SSS) Finish LRV of 42.63
- LRV Rating: HOPPE F68 (PSS) Finish LRV of 41.16

ID NO	PRODUCT REF	DESCRIPTION	FINISH
8559052	<b>AR340/25/300BF-SSS</b>	25mm x 300mm bolt through pull handle	<b>SSS</b>
8559066	<b>AR340/25/300BF-PSS</b>	25mm x 300mm bolt through pull handle	<b>PSS</b>
8559059	<b>AR340/25/350BF-SSS</b>	25mm x 350mm bolt through pull handle	<b>SSS</b>
8559073	<b>AR340/25/350BF-PSS</b>	25mm x 350mm bolt through pull handle	<b>PSS</b>



### Cranked Pull Handles Ø 25mm – HOPPE Ref. E5100 Back-to-Back Fixing

#### features

- Suitable for 37mm to 47mm door thickness
- Supplied with two back-to-back fixing bolts (600168)
- LRV Rating: HOPPE F69 (SSS) Finish LRV of 42.63
- LRV Rating: HOPPE F68 (PSS) Finish LRV of 41.16

ID NO	PRODUCT REF	DESCRIPTION	FINISH
8559171	<b>AR341/25/300BB-SSS</b>	25mm x 300mm back-to-back pull handle	<b>SSS</b>
8559087	<b>AR341/25/300BB-PSS</b>	25mm x 300mm back-to-back pull handle	<b>PSS</b>
8559178	<b>AR341/25/350BB-SSS</b>	25mm x 350mm back-to-back pull handle	<b>SSS</b>
8559185	<b>AR341/25/350BB-PSS</b>	25mm x 350mm back-to-back pull handle	<b>PSS</b>

# Architectural Pull Handles

## HOPPE Pull Handles (Grade 304 Stainless Steel)




### Semi-Circular Pull Handles Ø 30mm – HOPPE Ref. E5310 Bolt Through Fixing

#### features

- Suitable for 39mm to 49mm door thickness
- Supplied with bolt through fixing pack (618668)
- LRV Rating: HOPPE F69 (SSS) Finish LRV of 42.63
- LRV Rating: HOPPE F68 (PSS) Finish LRV of 41.16

ID NO	PRODUCT REF	DESCRIPTION	FINISH
8559234	<b>AR342/30/350BF-SSS</b>	30mm x 350mm bolt through pull handle	<b>SSS</b>
87102310	<b>AR342/30/350BF-PSS</b>	30mm x 350mm bolt through pull handle	<b>PSS</b>



### Semi-Circular Pull Handles Ø 30mm – HOPPE Ref. E5310 Back-to-Back Fixing

#### features

- Suitable for 37mm to 47mm door thickness
- Supplied with two back-to-back fixing bolts (600168)
- LRV Rating: HOPPE F69 (SSS) Finish LRV of 42.63
- LRV Rating: HOPPE F68 (PSS) Finish LRV of 41.16

ID NO	PRODUCT REF	DESCRIPTION	FINISH
8559248	<b>AR343/30/350BB-SSS</b>	30mm x 350mm back-to-back pull handle	<b>SSS</b>
87102311	<b>AR343/30/350BB-PSS</b>	30mm x 350mm back-to-back pull handle	<b>PSS</b>



## HOPPE Pull Handles (Grade 304 Stainless Steel)

### Semi-Circular Pull Handles Ø 30mm (on Ø 25mm Pegs) - HOPPE Ref. E5311 Bolt Through Fixing

ID NO	PRODUCT REF	DESCRIPTION	FINISH
8559262	<b>AR344/30/300BF-SSS</b>	30mm x 300mm bolt through pull handle	<b>SSS</b>
8559283	<b>AR344/30/300BF-PSS</b>	30mm x 300mm bolt through pull handle	<b>PSS</b>
8559269	<b>AR344/30/350BF-SSS</b>	30mm x 350mm bolt through pull handle	<b>SSS</b>
8559290	<b>AR344/30/350BF-PSS</b>	30mm x 350mm bolt through pull handle	<b>PSS</b>




### Semi-Circular Pull Handles Ø 30mm (on Ø 25mm Pegs) - HOPPE Ref. E5311 Back-to-Back Fixing

#### features

- Suitable for 37mm to 47mm door thickness
- Supplied with two back-to-back fixing bolts (600168)
- LRV Rating: HOPPE F69 (SSS) Finish LRV of 42.63
- LRV Rating: HOPPE F68 (PSS) Finish LRV of 41.16

ID NO	PRODUCT REF	DESCRIPTION	FINISH
8559311	<b>AR345/30/300BB-SSS</b>	30mm x 300mm back-to-back pull handle	<b>SSS</b>
8559318	<b>AR345/30/300BB-PSS</b>	30mm x 300mm back-to-back pull handle	<b>PSS</b>
8559325	<b>AR345/30/350BB-SSS</b>	30mm x 350mm back-to-back pull handle	<b>SSS</b>
87102312	<b>AR345/30/350BB-PSS</b>	30mm x 350mm back-to-back pull handle	<b>PSS</b>



# Architectural Pull Handles

## HOPPE Pull Handles (Grade 304 Stainless Steel)




### V-Shaped Pull Handles Ø 25mm – HOPPE Ref. E5200 Bolt Through Fixing

#### features

- Suitable for 39mm to 49mm door thickness
- Supplied with bolt through fixing pack (618668)
- LRV Rating: HOPPE F69 (SSS) Finish LRV of 42.63
- LRV Rating: HOPPE F68 (PSS) Finish LRV of 41.16

ID NO	PRODUCT REF	DESCRIPTION	FINISH
8559339	<b>AR370/25/300BF-SSS</b>	25mm x 300mm bolt through pull handle	<b>SSS</b>
8559346	<b>AR370/25/300BF-PSS</b>	25mm x 300mm bolt through pull handle	<b>PSS</b>




### V-Shaped Pull Handles Ø 25mm – HOPPE Ref. E5200 Back-to-Back Fixing

#### features

- Suitable for 37mm to 47mm door thickness
- Supplied with two back-to-back fixing bolts (600168)
- LRV Rating: HOPPE F69 (SSS) Finish LRV of 42.63
- LRV Rating: HOPPE F68 (PSS) Finish LRV of 41.16

ID NO	PRODUCT REF	DESCRIPTION	FINISH
8559376	<b>AR371/25/300BB-SSS</b>	25mm x 300mm back-to-back pull handle	<b>SSS</b>
8559374	<b>AR371/25/300BB-PSS</b>	25mm x 300mm back-to-back pull handle	<b>PSS</b>



ARRONE<sup>®</sup> Grade 316  
Stainless Steel Pull Handles

# ARRONE® Grade 316 Stainless Steel Pull Handles

## ARRONE® Grade 316 Stainless Steel Pull Handles



### 'D' Shape Pull Handles on 6mm Rose Concealed Fix – Ø 19mm

#### features

- 6mm high rose with stainless steel inner 4 point fixing
- Supplied with 2 No 8mm x 35mm countersunk bolts c/w allen key for rose fixing

ID NO	PRODUCT REF	DESCRIPTION	FINISH
87100910	<b>AR3616/150CF-SSS</b>	19mm x 150mm pull handle on 6mm rose	<b>SSS</b>
87100911	<b>AR3616/150CF-PSS</b>	19mm x 150mm pull handle on 6mm rose	<b>PSS</b>
87100912	<b>AR3616/225CF-SSS</b>	19mm x 225mm pull handle on 6mm rose	<b>SSS</b>
87100913	<b>AR3616/225CF-PSS</b>	19mm x 225mm pull handle on 6mm rose	<b>PSS</b>
87100914	<b>AR3616/300CF-SSS</b>	19mm x 300mm pull handle on 6mm rose	<b>SSS</b>
87100915	<b>AR3616/300CF-PSS</b>	19mm x 300mm pull handle on 6mm rose	<b>PSS</b>
	<b>AR3616/425CF-SSS</b>	19mm x 425mm pull handle on 6mm rose	<b>SSS</b>
	<b>AR3616/425CF-PSS</b>	19mm x 425mm pull handle on 6mm rose	<b>PSS</b>
	<b>AR3616/600CF-SSS</b>	19mm x 600mm pull handle on 6mm rose	<b>SSS</b>
	<b>AR3616/600CF-PSS</b>	19mm x 600mm pull handle on 6mm rose	<b>PSS</b>


## ARRONE<sup>®</sup> Grade 316 Stainless Steel Pull Handles

### 'D' Shape Pull Handles on 6mm Rose Dual Function Concealed Fix/Bolt Fix – Ø 19mm

#### features


- 6mm high rose with stainless steel inner 4 point fixing
- Supplied with 2 No 8mm x 35mm countersunk bolts c/w allen key for rose fixing
- Additionally supplied with 2 No 8mm x 75mm countersunk bolts for bolt fix function

#### standards and certification

 **Conformity Statement:** Pull Handles with a length of 400mm and above meet the dimensional recommendations of BS8300 and Approved Document "M"



ID NO	PRODUCT REF	DESCRIPTION	FINISH
87105924	<b>AR3616/150CF/BF-SSS</b>	19mm x 150mm pull handle on 6mm rose (dual function concealed fix/bolt fix)	<b>SSS</b>
87105925	<b>AR3616/150CF/BF-PSS</b>	19mm x 150mm pull handle on 6mm rose (dual function concealed fix/bolt fix)	<b>PSS</b>
87105926	<b>AR3616/225CF/BF-SSS</b>	19mm x 225mm pull handle on 6mm rose (dual function concealed fix/bolt fix)	<b>SSS</b>
87105927	<b>AR3616/225CF/BF-PSS</b>	19mm x 225mm pull handle on 6mm rose (dual function concealed fix/bolt fix)	<b>PSS</b>
87105928	<b>AR3616/300CF/BF-SSS</b>	19mm x 300mm pull handle on 6mm rose (dual function concealed fix/bolt fix)	<b>SSS</b>
87105929	<b>AR3616/300CF/BF-PSS</b>	19mm x 300mm pull handle on 6mm rose (dual function concealed fix/bolt fix)	<b>PSS</b>
87106690	<b>AR3616/425CF/BF-SSS</b>	19mm x 425mm pull handle on 6mm rose (dual function concealed fix/bolt fix)	<b>SSS</b>
87106691	<b>AR3616/425CF/BF-PSS</b>	19mm x 425mm pull handle on 6mm rose (dual function concealed fix/bolt fix)	<b>PSS</b>
87106692	<b>AR3616/600CF/BF-SSS</b>	19mm x 600mm pull handle on 6mm rose (dual function concealed fix/bolt fix)	<b>SSS</b>
87106693	<b>AR3616/600CF/BF-PSS</b>	19mm x 600mm pull handle on 6mm rose (dual function concealed fix/bolt fix)	<b>PSS</b>



# ARRONE® Grade 316 Stainless Steel Pull Handles

## ARRONE® Grade 316 Stainless Steel Pull Handles



### 'D' Shape Pull Handles on 8mm Rose Concealed Fix – Ø 19mm

#### features

- 8mm high rose with stainless steel inner 4 point fixing
- Supplied with 2 No 8mm x 35mm countersunk bolts c/w allen key for rose fixing

ID NO	PRODUCT REF	DESCRIPTION	FINISH
87100928	<b>AR3616/150CF-8-SSS</b>	19mm x 150mm pull handle on 8mm rose	<b>SSS</b>
87100929	<b>AR3616/150CF-8-PSS</b>	19mm x 150mm pull handle on 8mm rose	<b>PSS</b>
87100930	<b>AR3616/225CF-8-SSS</b>	19mm x 225mm pull handle on 8mm rose	<b>SSS</b>
87100931	<b>AR3616/225CF-8-PSS</b>	19mm x 225mm pull handle on 8mm rose	<b>PSS</b>
87100932	<b>AR3616/300CF-8-SSS</b>	19mm x 300mm pull handle on 8mm rose	<b>SSS</b>
87100933	<b>AR3616/300CF-8-PSS</b>	19mm x 300mm pull handle on 8mm rose	<b>PSS</b>


## ARRONE<sup>®</sup> Grade 316 Stainless Steel Pull Handles

### 'D' Shape Pull Handles on 8mm Rose Dual Function Concealed Fix/Bolt Fix – Ø 19mm

#### features


- 8mm high rose with stainless steel inner 4 point fixing
- Supplied with 2 No 8mm x 35mm countersunk bolts c/w allen key for rose fixing
- Additionally supplied with 2 No 8mm x 75mm countersunk bolts for bolt fix function

#### standards and certification

 **Conformity Statement:** Pull Handles with a length of 400mm and above meet the dimensional recommendations of BS8300 and Approved Document "M"



ID NO	PRODUCT REF	DESCRIPTION	FINISH
87105930	<b>AR3616/150CF/BF-8-SSS</b>	19mm x 150mm pull handle on 8mm rose (dual function concealed fix/bolt fix)	<b>SSS</b>
87105931	<b>AR3616/150CF/BF-8-PSS</b>	19mm x 150mm pull handle on 8mm rose (dual function concealed fix/bolt fix)	<b>PSS</b>
87105932	<b>AR3616/225CF/BF-8-SSS</b>	19mm x 225mm pull handle on 8mm rose (dual function concealed fix/bolt fix)	<b>SSS</b>
87105933	<b>AR3616/225CF/BF-8-PSS</b>	19mm x 225mm pull handle on 8mm rose (dual function concealed fix/bolt fix)	<b>PSS</b>
87105934	<b>AR3616/300CF/BF-8-SSS</b>	19mm x 300mm pull handle on 8mm rose (dual function concealed fix/bolt fix)	<b>SSS</b>
87105935	<b>AR3616/300CF/BF-8-PSS</b>	19mm x 300mm pull handle on 8mm rose (dual function concealed fix/bolt fix)	<b>PSS</b>
87106694	<b>AR3616/425CF/BF-8-SSS</b>	19mm x 425mm pull handle on 8mm rose (dual function concealed fix/bolt fix)	<b>SSS</b>
87106695	<b>AR3616/425CF/BF-8-PSS</b>	19mm x 425mm pull handle on 8mm rose (dual function concealed fix/bolt fix)	<b>PSS</b>
87106696	<b>AR3616/600CF/BF-8-SSS</b>	19mm x 600mm pull handle on 8mm rose (dual function concealed fix/bolt fix)	<b>SSS</b>
87106697	<b>AR3616/600CF/BF-8-PSS</b>	19mm x 600mm pull handle on 8mm rose (dual function concealed fix/bolt fix)	<b>PSS</b>



# ARRONE® Grade 316 Stainless Steel Pull Handles

## ARRONE® Grade 316 Stainless Steel Pull Handles

### 'D' Shape Pull Handles on 6mm Rose Concealed Fix – Ø 22mm

#### features

- 6mm high rose with stainless steel inner 4 point fixing
- Supplied with 2 No 8mm x 35mm countersunk bolts c/w allen key for rose fixing



ID NO	PRODUCT REF	DESCRIPTION	FINISH
87102800	<b>AR3616/22/150CF-SSS</b>	22mm x 150mm pull handle on 6mm rose	<b>SSS</b>
87102801	<b>AR3616/22/150CF-PSS</b>	22mm x 150mm pull handle on 6mm rose	<b>PSS</b>
87102802	<b>AR3616/22/225CF-SSS</b>	22mm x 225mm pull handle on 6mm rose	<b>SSS</b>
87102803	<b>AR3616/22/225CF-PSS</b>	22mm x 225mm pull handle on 6mm rose	<b>PSS</b>
87102804	<b>AR3616/22/300CF-SSS</b>	22mm x 300mm pull handle on 6mm rose	<b>SSS</b>
87102805	<b>AR3616/22/300CF-PSS</b>	22mm x 300mm pull handle on 6mm rose	<b>PSS</b>




## ARRONE® Grade 316 Stainless Steel Pull Handles


### 'D' Shape Pull Handles on 6mm Rose Dual Function Concealed Fix/Bolt Fix – Ø 22mm

#### features

- 6mm high rose with stainless steel inner 4 point fixing
- Supplied with 2 No 8mm x 35mm countersunk bolts c/w allen key for rose fixing
- Additionally supplied with 2 No 8mm x 75mm countersunk bolts for bolt fix function

#### standards and certification

 **Conformity Statement:** ARRONE® Pull Handles with a length of 400mm and above meet the dimensional recommendations of BS8300 and Approved Document "M"



ID NO	PRODUCT REF	DESCRIPTION	FINISH
87105936	<b>AR3616/22/150CF/BF-SSS</b>	22mm x 150mm pull handle on 6mm rose (dual function concealed fix/bolt fix)	<b>SSS</b>
87105937	<b>AR3616/22/150CF/BF-PSS</b>	22mm x 150mm pull handle on 6mm rose (dual function concealed fix/bolt fix)	<b>PSS</b>
87105938	<b>AR3616/22/225CF/BF-SSS</b>	22mm x 225mm pull handle on 6mm rose (dual function concealed fix/bolt fix)	<b>SSS</b>
87105939	<b>AR3616/22/225CF/BF-PSS</b>	22mm x 225mm pull handle on 6mm rose (dual function concealed fix/bolt fix)	<b>PSS</b>
87105940	<b>AR3616/22/300CF/BF-SSS</b>	22mm x 300mm pull handle on 6mm rose (dual function concealed fix/bolt fix)	<b>SSS</b>
87105941	<b>AR3616/22/300CF/BF-PSS</b>	22mm x 300mm pull handle on 6mm rose (dual function concealed fix/bolt fix)	<b>PSS</b>
87106690	<b>AR3616/22/425CF/BF-SSS</b>	22mm x 425mm pull handle on 6mm rose (dual function concealed fix/bolt fix)	<b>SSS</b>
87106691	<b>AR3616/22/425CF/BF-PSS</b>	22mm x 425mm pull handle on 6mm rose (dual function concealed fix/bolt fix)	<b>PSS</b>
87106692	<b>AR3616/22/600CF/BF-SSS</b>	22mm x 600mm pull handle on 6mm rose (dual function concealed fix/bolt fix)	<b>SSS</b>
87106693	<b>AR3616/22/600CF/BF-PSS</b>	22mm x 600mm pull handle on 6mm rose (dual function concealed fix/bolt fix)	<b>PSS</b>

# ARRONE® Grade 316 Stainless Steel Pull Handles

## ARRONE® Grade 316 Stainless Steel Pull Handles

### 'D' Shape Pull Handles on 8mm Rose Concealed Fix – Ø 22mm

#### features

- 8mm high rose with stainless steel inner 4 point fixing
- Supplied with 2 No 8mm x 35mm countersunk bolts c/w allen key for rose fixing



ID NO	PRODUCT REF	DESCRIPTION	FINISH
87102806	<b>AR3616/22/150CF-8-SSS</b>	22mm x 150mm pull handle on 8mm rose	<b>SSS</b>
87102807	<b>AR3616/22/150CF-8-PSS</b>	22mm x 150mm pull handle on 8mm rose	<b>PSS</b>
87102808	<b>AR3616/22/225CF-8-SSS</b>	22mm x 225mm pull handle on 8mm rose	<b>SSS</b>
87102809	<b>AR3616/22/225CF-8-PSS</b>	22mm x 225mm pull handle on 8mm rose	<b>PSS</b>
87102810	<b>AR3616/22/300CF-8-SSS</b>	22mm x 300mm pull handle on 8mm rose	<b>SSS</b>
87102811	<b>AR3616/22/300CF-8-PSS</b>	22mm x 300mm pull handle on 8mm rose	<b>PSS</b>


## ARRONE® Grade 316 Stainless Steel Pull Handles


### 'D' Shape Pull Handles on 8mm Rose Dual Function Concealed Fix/Bolt Fix – Ø 22mm

#### features

- 8mm high rose with stainless steel inner 4 point fixing
- Supplied with 2 No 8mm x 35mm Countersunk Bolts c/w Allen Key for Rose Fixing
- Additionally supplied with 2 No 8mm x 75mm countersunk bolts for bolt fix function

#### standards and certification

 **Conformity Statement:** Pull Handles with a length of 400mm and above meet the dimensional recommendations of BS8300 and Approved Document "M"



ID NO	PRODUCT REF	DESCRIPTION	FINISH
87105942	<b>AR3616/22/150CF/BF-8-SSS</b>	22mm x 150mm pull handle on 8mm rose (dual function concealed fix/bolt fix)	<b>SSS</b>
87105943	<b>AR3616/22/150CF/BF-8-PSS</b>	22mm x 150mm pull handle on 8mm rose (dual function concealed fix/bolt fix)	<b>PSS</b>
87105944	<b>AR3616/22/225CF/BF-8-SSS</b>	22mm x 225mm pull handle on 8mm rose (dual function concealed fix/bolt fix)	<b>SSS</b>
87105945	<b>AR3616/22/225CF/BF-8-PSS</b>	22mm x 225mm pull handle on 8mm rose (dual function concealed fix/bolt fix)	<b>PSS</b>
87105946	<b>AR3616/22/300CF/BF-8-SSS</b>	22mm x 300mm pull handle on 8mm rose (dual function concealed fix/bolt fix)	<b>SSS</b>
87105947	<b>AR3616/22/300CF/BF-8-PSS</b>	22mm x 300mm pull handle on 8mm rose (dual function concealed fix/bolt fix)	<b>PSS</b>
87106694	<b>AR3616/22/425CF/BF-8-SSS</b>	22mm x 425mm pull handle on 8mm rose (dual function concealed fix/bolt fix)	<b>SSS</b>
87106695	<b>AR3616/22/425CF/BF-8-PSS</b>	22mm x 425mm pull handle on 8mm rose (dual function concealed fix/bolt fix)	<b>PSS</b>
87106696	<b>AR3616/22/600CF/BF-8-SSS</b>	22mm x 600mm pull handle on 8mm rose (dual function concealed fix/bolt fix)	<b>SSS</b>
87106697	<b>AR3616/22/600CF/BF-8-PSS</b>	22mm x 600mm pull handle on 8mm rose (dual function concealed fix/bolt fix)	<b>PSS</b>

# ARRONE® Grade 316 Stainless Steel Pull Handles

## ARRONE® Grade 316 Stainless Steel Pull Handles



### 'D' Shape Pull Handles Bolt Fix Ø 19mm


#### features

- Supplied with two 8mm x 75mm countersunk bolts c/w Allen Key
- Including two clear Ø 19mm flexible nylon washers for neck of pull handle

#### standards and certification



**Conformity Statement:** Pull Handles with a length of 400mm and above meet the dimensional recommendations of BS8300 and Approved Document "M"



ID NO	PRODUCT REF	DESCRIPTION	FINISH
87100916	<b>AR3616/150BF-SSS</b>	19mm x 150mm bolt through fixing pull handle	<b>SSS</b>
87100917	<b>AR3616/150BF-PSS</b>	19mm x 150mm bolt through fixing pull handle	<b>PSS</b>
87100918	<b>AR3616/225BF-SSS</b>	19mm x 225mm bolt through fixing pull handle	<b>SSS</b>
87100919	<b>AR3616/225BF-PSS</b>	19mm x 225mm bolt through fixing pull handle	<b>PSS</b>
87100920	<b>AR3616/300BF-SSS</b>	19mm x 300mm bolt through fixing pull handle	<b>SSS</b>
87100921	<b>AR3616/300BF-PSS</b>	19mm x 300mm bolt through fixing pull handle	<b>PSS</b>
87104514	<b>AR3616/425BF-SSS</b>	19mm x 425mm bolt through fixing pull handle	<b>SSS</b>
87104515	<b>AR3616/425BF-PSS</b>	19mm x 425mm bolt through fixing pull handle	<b>PSS</b>
87104518	<b>AR3616/600BF-SSS</b>	19mm x 600mm bolt through fixing pull handle	<b>SSS</b>
87104519	<b>AR3616/600BF-PSS</b>	19mm x 600mm bolt through fixing pull handle	<b>PSS</b>



### 'D' Shape Pull Handles Bolt Fix Ø 22mm


#### features

- Supplied with two 8mm x 75mm countersunk bolts c/w Allen Key
- Including two clear Ø 19mm flexible nylon washers for neck of pull handle

#### standards and certification



**Conformity Statement:** Pull Handles with a length of 400mm and above meet the dimensional recommendations of BS8300 and Approved Document "M"



ID NO	PRODUCT REF	DESCRIPTION	FINISH
87102812	<b>AR3616/22/150BF-SSS</b>	22mm x 150mm bolt through fixing pull handle	<b>SSS</b>
87102813	<b>AR3616/22/150BF-PSS</b>	22mm x 150mm bolt through fixing pull handle	<b>PSS</b>
87102814	<b>AR3616/22/225BF-SSS</b>	22mm x 225mm bolt through fixing pull handle	<b>SSS</b>
87102815	<b>AR3616/22/225BF-PSS</b>	22mm x 225mm bolt through fixing pull handle	<b>PSS</b>
87102816	<b>AR3616/22/300BF-SSS</b>	22mm x 300mm bolt through fixing pull handle	<b>SSS</b>
87102817	<b>AR3616/22/300BF-PSS</b>	22mm x 300mm bolt through fixing pull handle	<b>PSS</b>
87104522	<b>AR3616/22/425BF-SSS</b>	22mm x 425mm bolt through fixing pull handle	<b>SSS</b>
87104523	<b>AR3616/22/425BF-PSS</b>	22mm x 425mm bolt through fixing pull handle	<b>PSS</b>
87104524	<b>AR3616/22/600BF-SSS</b>	22mm x 600mm bolt through fixing pull handle	<b>SSS</b>
87104525	<b>AR3616/22/600BF-PSS</b>	22mm x 600mm bolt through fixing pull handle	<b>PSS</b>


## ARRONE® Grade 316 Stainless Steel Pull Handles

### 'D' Shape Pull Handles Back to Back – Ø 19mm

#### features


- Supplied with two 8mm back to back bolts
- These pull handles come complete with sleeve and washers for glass doors, which must be removed when used on timber doors

#### standards and certification

 **Conformity Statement:** Pull Handles with a length of 400mm and above meet the dimensional recommendations of BS8300 and Approved Document "M"



ID NO	PRODUCT REF	DESCRIPTION	FINISH
87100922	<b>AR3616/150BB-SSS</b>	19mm x 150mm back-to-back fixing pull handle	<b>SSS</b>
87100923	<b>AR3616/150BB-PSS</b>	19mm x 150mm back-to-back fixing pull handle	<b>PSS</b>
87100924	<b>AR3616/225BB-SSS</b>	19mm x 225mm back-to-back fixing pull handle	<b>SSS</b>
87100925	<b>AR3616/225BB-PSS</b>	19mm x 225mm back-to-back fixing pull handle	<b>PSS</b>
87100926	<b>AR3616/300BB-SSS</b>	19mm x 300mm back-to-back fixing pull handle	<b>SSS</b>
87100927	<b>AR3616/300BB-PSS</b>	19mm x 300mm back-to-back fixing pull handle	<b>PSS</b>
87104516	<b>AR3616/425BB-SSS</b>	19mm x 425mm back-to-back fixing pull handle	<b>SSS</b>
87104517	<b>AR3616/425BB-PSS</b>	19mm x 425mm back-to-back fixing pull handle	<b>PSS</b>
87104520	<b>AR3616/600BB-SSS</b>	19mm x 600mm back-to-back fixing pull handle	<b>SSS</b>
87104521	<b>AR3616/600BB-PSS</b>	19mm x 600mm back-to-back fixing pull handle	<b>PSS</b>



# ARRONE® Grade 316 Stainless Steel Pull Handles

## ARRONE® Grade 316 Stainless Steel Pull Handles



### 'D' Shape Pull Handles Back to Back – Ø 22mm


#### features

- Supplied with two 8mm back to back bolts
- These pull handles come complete with sleeve and washers for glass doors, which must be removed when used on timber doors

#### standards and certification



**Conformity Statement:** Pull Handles with a length of 400mm and above meet the dimensional recommendations of BS8300 and Approved Document "M"



ID NO	PRODUCT REF	DESCRIPTION	FINISH
87102818	<b>AR3616/22/150BB-SSS</b>	22mm x 150mm back-to-back fixing pull handle	<b>SSS</b>
87102819	<b>AR3616/22/150BB-PSS</b>	22mm x 150mm back-to-back fixing pull handle	<b>PSS</b>
87102820	<b>AR3616/22/225BB-SSS</b>	22mm x 225mm back-to-back fixing pull handle	<b>SSS</b>
87102821	<b>AR3616/22/225BB-PSS</b>	22mm x 225mm back-to-back fixing pull handle	<b>PSS</b>
87102822	<b>AR3616/22/300BB-SSS</b>	22mm x 300mm back-to-back fixing pull handle	<b>SSS</b>
87102823	<b>AR3616/22/300BB-PSS</b>	22mm x 300mm back-to-back fixing pull handle	<b>PSS</b>
87104526	<b>AR3616/22/425BB-SSS</b>	22mm x 425mm back-to-back fixing pull handle	<b>SSS</b>
87104527	<b>AR3616/22/425BB-PSS</b>	22mm x 425mm back-to-back fixing pull handle	<b>PSS</b>
87104528	<b>AR3616/22/600BB-SSS</b>	22mm x 600mm back-to-back fixing pull handle	<b>SSS</b>
87104529	<b>AR3616/22/600BB-PSS</b>	22mm x 600mm back-to-back fixing pull handle	<b>PSS</b>


## ARRONE<sup>®</sup> Grade 316 Stainless Steel Pull Handles

### "T" Bar Pull Handles Bolt Fix – Ø 19mm

#### features

- Supplied with two 8mm x 75mm countersunk bolts c/w Allen Key
- Including two clear Ø19mm flexible nylon washers for neck of pull handle
- 225mm pull handles have 30mm overhang
- All other lengths have 50mm overhang

ID NO	PRODUCT REF	DESCRIPTION	FINISH
87104300	<b>AR3617/225BF-SSS</b>	19mm x 225mm bolt fix T-bar pull handle	<b>SSS</b>
87104301	<b>AR3617/225BF-PSS</b>	19mm x 225mm bolt fix T-bar pull handle	<b>PSS</b>
87104302	<b>AR3617/300BF-SSS</b>	19mm x 300mm bolt fix T-bar pull handle	<b>SSS</b>
87104303	<b>AR3617/300BF-PSS</b>	19mm x 300mm bolt fix T-bar pull handle	<b>PSS</b>
87108586	<b>AR3617/425BF-SSS</b>	19mm x 425mm bolt fix T-bar pull handle	<b>SSS</b>
87108588	<b>AR3617/600BF-SSS</b>	19mm x 600mm bolt fix T-bar pull handle	<b>SSS</b>




### "T" Bar Pull Handles Back to Back Fix – Ø 19mm

#### features

- Supplied with two 8mm back to back bolts
- These pull handles come complete with sleeve and washers for glass doors, which must be removed when used on timber doors
- 225mm pull handles have 30mm overhang
- All other lengths have 50mm overhang


ID NO	PRODUCT REF	DESCRIPTION	FINISH
87104304	<b>AR3617/225BB-SSS</b>	19mm x 225mm back-to-back fix T-bar pull handle	<b>SSS</b>
87104305	<b>AR3617/225BB-PSS</b>	19mm x 225mm back-to-back fix T-bar pull handle	<b>PSS</b>
87104306	<b>AR3617/300BB-SSS</b>	19mm x 300mm back-to-back fix T-bar pull handle	<b>SSS</b>
87104307	<b>AR3617/300BB-PSS</b>	19mm x 300mm back-to-back fix T-bar pull handle	<b>PSS</b>
87108587	<b>AR3617/425BB-SSS</b>	19mm x 425mm back-to-back fix T-bar pull handle	<b>SSS</b>
87108589	<b>AR3617/600BB-SSS</b>	19mm x 600mm back-to-back fix T-bar pull handle	<b>SSS</b>



# ARRONE® Grade 316 Stainless Steel Pull Handles

## ARRONE® Grade 316 Stainless Steel Front Entrance Pull Handles

### Ø 25mm Front Entrance Pull Handles on Pegs (2 point fixing)




#### features

- 2 point fixing
- Handles up to 1000mm have a 60mm overhang from peg
- Handles over 1000mm have a 100mm overhang from peg

ID NO	PRODUCT REF	DESCRIPTION	FINISH
87109053	<b>AR3625/425BF-SSS</b>	25mm x 425mm front entrance straight pull handle bolt fix	<b>SSS</b>
87109054	<b>AR3625/600BF-SSS</b>	25mm x 600mm front entrance straight pull handle bolt fix	<b>SSS</b>
87109055	<b>AR3625/1000BF-SSS</b>	25mm x 1000mm front entrance straight pull handle bolt fix	<b>SSS</b>
87109056	<b>AR3625/425BB-SSS</b>	25mm x 425mm front entrance straight pull handle back-to-back fix	<b>SSS</b>
87109057	<b>AR3625/600BB-SSS</b>	25mm x 600mm front entrance straight pull handle back-to-back fix	<b>SSS</b>
87109058	<b>AR3625/1000BB-SSS</b>	25mm x 1000mm front entrance straight pull handle back-to-back fix	<b>SSS</b>
87109059	<b>AR36-COLLAR-25-SSS</b>	Collars to make 25mm handle cranked (pair)	<b>SSS</b>

### Ø 32mm Front Entrance Pull Handles on Pegs (2 point fixing)



#### features

- 2 point fixing
- Handles up to 1000mm have a 60mm overhang from peg
- Handles over 1000mm have a 100mm overhang from peg

ID NO	PRODUCT REF	DESCRIPTION	FINISH
87109060	<b>AR3626/600BF-SSS</b>	32mm x 600mm front entrance straight pull handle bolt fix	<b>SSS</b>
87109061	<b>AR3626/1200BF-SSS</b>	32mm x 1200mm front entrance straight pull handle bolt fix	<b>SSS</b>
87109062	<b>AR3626/1800BF-SSS</b>	32mm x 1800mm front entrance straight pull handle bolt fix	<b>SSS</b>
87109063	<b>AR3626/600BB-SSS</b>	32mm x 600mm front entrance straight pull handle back-to-back fix	<b>SSS</b>
87109064	<b>AR3626/1200BB-SSS</b>	32mm x 1200mm front entrance straight pull handle back-to-back fix	<b>SSS</b>
87109065	<b>AR3626/1800BB-SSS</b>	32mm x 1800mm front entrance straight pull handle back-to-back fix	<b>SSS</b>
87109066	<b>AR36-COLLAR-32-SSS</b>	Collars to make 32mm handle cranked (pair)	<b>SSS</b>





Architectural Accessories

# Architectural Accessories

## ARRONE® Accessories



ID NO	PRODUCT REF	DESCRIPTION	FINISH
605262	<b>AR307M-H-SSS</b>	100mm square male sign	<b>SSS</b>
606481	<b>AR307M-H-PSS</b>	100mm square male sign	<b>PSS</b>
605255	<b>AR307F-H-SSS</b>	100mm square female sign	<b>SSS</b>
606474	<b>AR307F-H-PSS</b>	100mm square female sign	<b>PSS</b>
605279	<b>AR307D-H-SSS</b>	100mm square disabled sign	<b>SSS</b>
606498	<b>AR307D-H-PSS</b>	100mm square disabled sign	<b>PSS</b>



ID NO	PRODUCT REF	DESCRIPTION	FINISH
605231	<b>AR308M-SSS</b>	Ø 100mm circular male sign	<b>SSS</b>
606108	<b>AR308M-PSS</b>	Ø 100mm circular male sign	<b>PSS</b>
605224	<b>AR308F-SSS</b>	Ø 100mm circular female sign	<b>SSS</b>
606092	<b>AR308F-PSS</b>	Ø 100mm circular female sign	<b>PSS</b>
605248	<b>AR308D-SSS</b>	Ø 100mm circular disabled sign	<b>SSS</b>
606115	<b>AR308D-PSS</b>	Ø 100mm circular disabled sign	<b>PSS</b>



ID NO	PRODUCT REF	DESCRIPTION	FINISH
8511368	<b>AR903M-SSS</b>	Ø 76mm circular male sign	<b>SSS</b>
8511354	<b>AR903M-PSS</b>	Ø 76mm circular male sign	<b>PSS</b>
8511340	<b>AR903F-SSS</b>	Ø 76mm circular female sign	<b>SSS</b>
8511326	<b>AR903F-PSS</b>	Ø 76mm circular female sign	<b>PSS</b>
8511312	<b>AR903D-SSS</b>	Ø 76mm circular disabled sign	<b>SSS</b>
8511298	<b>AR903D-PSS</b>	Ø 76mm circular disabled sign	<b>PSS</b>
87100985	<b>AR903U-SSS</b>	Ø 76mm circular unisex sign	<b>SSS</b>
87100986	<b>AR903U-PSS</b>	Ø 76mm circular unisex sign	<b>PSS</b>



ID NO	PRODUCT REF	DESCRIPTION	FINISH
8511564	<b>AR908M-SSS</b>	100mm x 150mm rectangular male sign	<b>SSS</b>
8511550	<b>AR908M-PSS</b>	100mm x 150mm rectangular male sign	<b>PSS</b>
8511536	<b>AR908F-SSS</b>	100mm x 150mm rectangular female sign	<b>SSS</b>
8511522	<b>AR908F-PSS</b>	100mm x 150mm rectangular female sign	<b>PSS</b>
8511508	<b>AR908D-SSS</b>	100mm x 150mm rectangular disabled sign	<b>SSS</b>
8511494	<b>AR908D-PSS</b>	100mm x 150mm rectangular disabled sign	<b>PSS</b>



ID NO	PRODUCT REF	DESCRIPTION	FINISH
8511221	<b>AR900-SSS</b>	Ø 76mm circular "Keep locked shut" sign	<b>SSS</b>
8511207	<b>AR900-PSS</b>	Ø 76mm circular "Keep locked shut" sign	<b>PSS</b>

## ARRONE<sup>®</sup> Accessories

ID NO	PRODUCT REF	DESCRIPTION	FINISH
8511249	<b>AR901-SSS</b>	Ø 76mm circular "Fire door keep locked" sign	<b>SSS</b>
8511235	<b>AR901-PSS</b>	Ø 76mm circular "Fire door keep locked" sign	<b>PSS</b>



ID NO	PRODUCT REF	DESCRIPTION	FINISH
8511284	<b>AR902-SSS</b>	Ø 76mm circular "Fire door keep shut" sign	<b>SSS</b>
8511270	<b>AR902-PSS</b>	Ø 76mm circular "Fire door keep shut" sign	<b>PSS</b>



ID NO	PRODUCT REF	DESCRIPTION	FINISH
8511396	<b>AR904-SSS</b>	80mm square "Keep locked shut" sign	<b>SSS</b>
8511382	<b>AR904-PSS</b>	80mm square "Keep locked shut" sign	<b>PSS</b>



ID NO	PRODUCT REF	DESCRIPTION	FINISH
8511424	<b>AR905-SSS</b>	80mm square "Fire door keep shut" sign	<b>SSS</b>
8511410	<b>AR905-PSS</b>	80mm square "Fire door keep shut" sign	<b>PSS</b>
8511452	<b>AR906-SSS</b>	80mm square "Fire door keep locked" sign	<b>SSS</b>
8511438	<b>AR906-PSS</b>	80mm square "Fire door keep locked" sign	<b>PSS</b>
8511480	<b>AR907-SSS</b>	80mm square "Fire door keep locked shut" sign	<b>SSS</b>
8511466	<b>AR907-PSS</b>	80mm square "Fire door keep locked shut" sign	<b>PSS</b>



ID NO	PRODUCT REF	DESCRIPTION	FINISH
605217	<b>AR308-PULL-SSS</b>	Ø 76mm circular "PULL" sign	<b>SSS</b>
606467	<b>AR308-PULL-PSS</b>	Ø 76mm circular "PULL" sign	<b>PSS</b>
605200	<b>AR308-PUSH-SSS</b>	Ø 76mm circular "PUSH" sign	<b>SSS</b>
606085	<b>AR308-PUSH-PSS</b>	Ø 76mm circular "PUSH" sign	<b>PSS</b>



ID NO	PRODUCT REF	DESCRIPTION	FINISH
87105704	<b>AR911-SSS</b>	Ø 76mm circular shower symbol	<b>SSS</b>
87105705	<b>AR911-PSS</b>	Ø 76mm circular shower symbol	<b>PSS</b>



ID NO	PRODUCT REF	DESCRIPTION	FINISH
87105706	<b>AR912-SSS</b>	80mm square shower symbol	<b>SSS</b>
87105707	<b>AR912-PSS</b>	80mm square shower symbol	<b>PSS</b>



# Architectural Accessories

## ARRONE® Accessories



ID NO	PRODUCT REF	DESCRIPTION	FINISH
87105708	<b>AR913-SSS</b>	Ø 76mm circular baby change symbol	<b>SSS</b>
87105709	<b>AR913-PSS</b>	Ø 76mm circular baby change symbol	<b>PSS</b>



ID NO	PRODUCT REF	DESCRIPTION	FINISH
87105711	<b>AR914-SSS</b>	80mm square baby change symbol	<b>SSS</b>
87105712	<b>AR914-PSS</b>	80mm square baby change symbol	<b>PSS</b>



ID NO	PRODUCT REF	DESCRIPTION	FINISH
87105714	<b>AR915-SSS</b>	Ø 76mm circular "automatic fire door keep clear" sign	<b>SSS</b>
87105715	<b>AR915-PSS</b>	Ø 76mm circular "automatic fire door keep clear" sign	<b>PSS</b>



ID NO	PRODUCT REF	DESCRIPTION	FINISH
87105716	<b>AR922-SSS</b>	80mm Square "automatic fire door keep clear" sign	<b>SSS</b>
87105717	<b>AR922-PSS</b>	80mm Square "automatic fire door keep clear" sign	<b>PSS</b>



ID NO	PRODUCT REF	DESCRIPTION	FINISH
8505824	<b>AR306P-SSS</b>	Plain pull	<b>SSS</b>
8505831	<b>AR306P-PSS</b>	Plain pull	<b>PSS</b>
8505838	<b>AR306S-SSS</b>	Cylinder pull for standard rim cylinder	<b>SSS</b>
8505845	<b>AR306S-PSS</b>	Cylinder pull for standard rim cylinder	<b>PSS</b>
8505866	<b>AR306YP-SSS</b>	Cylinder pull for euro profile cylinder	<b>SSS</b>
8505873	<b>AR306YP-PSS</b>	Cylinder pull for euro profile cylinder	<b>PSS</b>
8505852	<b>AR306U-SSS</b>	Cylinder pull for oval profile cylinder	<b>SSS</b>
8505859	<b>AR306U-PSS</b>	Cylinder pull for oval profile cylinder	<b>PSS</b>



ID NO	PRODUCT REF	DESCRIPTION	FINISH
8506013	<b>AR317-SSS</b>	Hat and coat hook	<b>SSS</b>
8506020	<b>AR317-PSS</b>	Hat and coat hook	<b>PSS</b>
8506027	<b>AR318-SSS</b>	Buffered hat and coat hook	<b>SSS</b>
8506034	<b>AR318-PSS</b>	Buffered hat and coat hook	<b>PSS</b>
8506041	<b>AR319-SSS</b>	Wardrobe hook	<b>SSS</b>
8506048	<b>AR319-PSS</b>	Wardrobe hook	<b>PSS</b>

## ARRONE® Accessories

ID NO	PRODUCT REF	DESCRIPTION	FINISH
8506118	<b>AR324A-SSS</b>	75mm x 300mm square end, drilled and countersunk, finger plate	<b>SSS</b>
8506153	<b>AR324A-PSS</b>	75mm x 300mm square end, drilled and countersunk, finger plate	<b>PSS</b>
87108568	<b>AR324A-SSS-Radius</b>	75mm x 300mm radiused end, drilled and countersunk, finger plate	<b>SSS</b>
8506160	<b>AR324B-SSS</b>	75mm x 300mm fully radiused end, drilled and countersunk, finger plate	<b>SSS</b>
8506167	<b>AR324B-PSS</b>	75mm x 300mm radiused end, drilled and countersunk, finger plate	<b>PSS</b>
8506188	<b>AR324C-SSS</b>	75mm x 330mm square end, drilled and countersunk, finger plate	<b>SSS</b>
8506174	<b>AR324C-PSS</b>	75mm x 330mm square end, drilled and countersunk, finger plate	<b>PSS</b>
87100889	<b>AR324P-SSS</b>	75mm x 330mm square end, drilled and countersunk, engraved "PUSH" finger plate	<b>SSS</b>
87100888	<b>AR324P-PSS</b>	75mm x 330mm square end, drilled and countersunk, engraved "PUSH" finger plate	<b>PSS</b>



ID NO	PRODUCT REF	DESCRIPTION	FINISH
	<b>AR325</b>	Kicking Plate (cut to order)	<b>SSS/PSS</b>



ID NO	PRODUCT REF	DESCRIPTION	FINISH
8569237	<b>AR326B-SSS</b>	200mm x 20mm lever action flush bolt	<b>SSS</b>
8569244	<b>AR326B-PSS</b>	200mm x 20mm lever action flush bolt	<b>PSS</b>
8506209	<b>AR326A-SSS</b>	250mm x 20mm lever action flush bolt	<b>SSS</b>
8506216	<b>AR326A-PSS</b>	250mm x 20mm lever action flush bolt	<b>PSS</b>



ID NO	PRODUCT REF	DESCRIPTION	FINISH
87104398	<b>AR323A-SSS</b>	Ø 90mm circular flush pull	<b>SSS</b>
87104399	<b>AR323A-PSS</b>	Ø 90mm circular flush pull	<b>PSS</b>



ID NO	PRODUCT REF	DESCRIPTION	FINISH
87104400	<b>AR323B-SSS</b>	102mm x 45mm rectangular flush pull	<b>SSS</b>
87104401	<b>AR323B-PSS</b>	102mm x 45mm rectangular flush pull	<b>PSS</b>



# Architectural Accessories

## ARRONE® Accessories



ID NO	PRODUCT REF	DESCRIPTION	FINISH
8506328	<b>AR334A-SSS</b>	76mm projection, concealed fixing on wall or skirting door stop	<b>SSS</b>
8506335	<b>AR334A-PSS</b>	76mm projection, concealed fixing on wall or skirting door stop	<b>PSS</b>



ID NO	PRODUCT REF	DESCRIPTION	FINISH
8506342	<b>AR334B-SSS</b>	76mm projection, secret fixing door stop	<b>SSS</b>
8506349	<b>AR334B-PSS</b>	76mm projection, secret fixing door stop	<b>PSS</b>



ID NO	PRODUCT REF	DESCRIPTION	FINISH
606511	<b>AR334C-SSS</b>	Ø 30mm x 15mm high door stop	<b>SSS</b>



ID NO	PRODUCT REF	DESCRIPTION	FINISH
604531	<b>AR334D-SSS</b>	Ø 57mm x 17mm high door stop	<b>SSS</b>
605125	<b>AR334D-PSS</b>	Ø 57mm x 17mm high door stop	<b>PSS</b>



ID NO	PRODUCT REF	DESCRIPTION	FINISH
87104402	<b>AR334E-SSS</b>	Ø 42mm x 25mm Shielded Door Stop	<b>SSS</b>
87104403	<b>AR334E-PSS</b>	Ø 42mm x 25mm Shielded Door Stop	<b>PSS</b>



ID NO	PRODUCT REF	DESCRIPTION	FINISH
87104404	<b>AR334F-SSS</b>	Ø 30mm x 50mm high Dome Shaped Door Stop	<b>SSS</b>
87104405	<b>AR334F-PSS</b>	Ø 30mm x 50mm high Dome Shaped Door Stop	<b>PSS</b>



ID NO	PRODUCT REF	DESCRIPTION	FINISH
	<b>AR340-CF-X</b>	75mm concealed fix letter (A to D)	<b>SSS &amp; PSS</b>
	<b>AR340-CF-X</b>	75mm concealed fix numeral (0 to 9)	<b>SSS &amp; PSS</b>



ID NO	PRODUCT REF	DESCRIPTION	FINISH
	<b>AR340-FF-X</b>	75mm face fix letter (A to D)	<b>SSS &amp; PSS</b>
	<b>AR340-FF-X</b>	75mm face fix numeral (0 to 9)	<b>SSS &amp; PSS</b>

## Bathroom Hardware for Inclusive Design

### AR763 Folding Grab Rail

**features**

- Also available in white: See Nylon section

ID NO	PRODUCT REF	DESCRIPTION	FINISH
8510241	<b>AR763-SSS</b>	Folding grab rail	<b>SSS</b>



### AR764 Backrest

**features**

- Also available in white: See Nylon section

ID NO	PRODUCT REF	DESCRIPTION	FINISH
8510255	<b>AR764-SSS</b>	Back rest	<b>SSS</b>



### AR765 Grab/Towel Rail Ø 34mm x 600mm

**features**

- Also available in white: See Nylon section

ID NO	PRODUCT REF	DESCRIPTION	FINISH
8510269	<b>AR765-SSS</b>	Ø 34mm X 600mm Grab/towel rail	<b>SSS</b>



### “DOC-M” Packs

**features**

- Also available in white: See Nylon section

ID NO	PRODUCT REF	DESCRIPTION	FINISH
87103090	<b>AR767-SSS</b>	Doc “M” Pack including 1 No AR763, 1 No AR764 & 3 No AR765	<b>SSS</b>
87108582	<b>AR768-SSS</b>	Doc “M” Pack including 1 No AR763, 1 No AR764 & 4 No AR765	<b>SSS</b>





# Architectural Accessories

## HOPPE Fixing Accessories

### Spindles



ID NO	PRODUCT REF	DESCRIPTION
630905	<b>06855-0105-0000</b>	8mm x 105mm full profile spindle to suit up to 44mm door thickness
680092	<b>06855-2589-0000</b>	8mm x 125mm full profile spindle to suit up to 54mm door thickness
821914	<b>06855-2590-0000</b>	8mm x 135mm full profile spindle to suit up to 64mm door thickness



ID NO	PRODUCT REF	DESCRIPTION
517572	<b>06850-2289-0000</b>	8mm x 100mm HOPPE patented split profile spindle to suit up to 44mm door thickness
517565	<b>06850-2689-0000</b>	8mm x 120mm HOPPE patented split profile spindle to suit up to 54mm door thickness
672578	<b>06850-3090-0000</b>	8mm x 130mm HOPPE patented split profile spindle to suit up to 64mm door thickness



ID NO	PRODUCT REF	DESCRIPTION
630899	<b>AR229/60</b>	8mm x 60mm half spindle to suit up to 44mm door thickness
515073	<b>AR229/70</b>	8mm x 70mm half spindle to suit up to 54mm door thickness



ID NO	PRODUCT REF	DESCRIPTION
8504683	<b>AR228A</b>	8mm x 100mm spindle for split follower lock to suit up to 44mm door thickness
87107098	<b>AR228B</b>	8mm x 120mm spindle for split follower lock to suit up to 54mm door thickness
87107099	<b>AR228C</b>	8mm x 140mm spindle for split follower lock to suit up to 64mm door thickness



ID NO	PRODUCT REF	DESCRIPTION
630929	<b>07050-1789-0000</b>	5mm x 75mm solid spindle for bathroom and privacy furniture to suit up to 50mm door thickness

### Lever Furniture Fixings



ID NO	PRODUCT REF	DESCRIPTION
701742	<b>AR200FP</b>	Lever furniture fixing pack comprising 2 male/female bolt fixings and 4 wood screws



## HOPPE Fixing Accessories

ID NO	PRODUCT REF	DESCRIPTION
533602	<b>AR200-MALE</b>	M4 x 50mm Loose male bolt from fixing pack 40 to 50mm door thickness
533626	<b>07401-2788-0000</b>	M4 x 70mm Loose male bolt from fixing pack 40 to 70mm door thickness
534722	<b>AR200-FEMALE</b>	M4 x 22mm Loose female receiver bolt from fixing pack

ID NO	PRODUCT REF	DESCRIPTION
630912	<b>AR-GRUB-FULL-SAA</b>	Grub screw to suit full profile spindle – also grade 316 range



ID NO	PRODUCT REF	DESCRIPTION
524686	<b>AR-GRUB-SPLIT-SAA</b>	Grub screw to suit HOPPE patented split profile spindle



ID NO	PRODUCT REF	DESCRIPTION
6938518	<b>06860-3089-0000</b>	Grub screw to suit solid spindle (self tapping)



ID NO	PRODUCT REF	DESCRIPTION
4379974	<b>09610-0100-0000</b>	Allen key to suit grub screws



### General Items

- Please note – to fit handles safely and achieve optimum performance please ensure spindles are fitted at least 20 to 25mm into the lever

ID NO	PRODUCT REF	DESCRIPTION
1515527	<b>AR-6/7/8-SLEEVE</b>	Spindle sleeve pack – converts 5m spindle to either 6, 7 or 8mm

## HOPPE Pull Handle Fixings

### Pull Handle Standard Bolt Fixings Ø 25mm and Ø 30mm

ID NO	PRODUCT REF	DESCRIPTION
618668	<b>ARBF-25/30</b>	Ø 25 mm and Ø 30mm pull handle bolt through fixing set to suit up to 49mm door thickness (pair)

### Pull Handle Back-to-Back Fixings Ø 25mm and Ø 30mm

ID NO	PRODUCT REF	DESCRIPTION
600168	<b>ARBB-25/30-44</b>	Ø 25 mm and Ø 30mm pull handle back-to-back fixing to suit up to 44mm door thickness – single bolt (2 required)
763870	<b>ARBB-25/30-57</b>	Ø 25 mm and Ø 30mm pull handle back-to-back fixing to suit up to 57mm door thickness – single bolt (2 required)
646753	<b>ARBB-25/30-67</b>	Ø 25 mm and Ø 30mm pull handle back-to-back fixing to suit up to 67mm door thickness – single bolt (2 required)

### Pull Handle Glass Door Fixings Ø 25mm and Ø 30mm

ID NO	PRODUCT REF	DESCRIPTION
763016	<b>ARBF-25-8/13</b>	Ø 25 mm pull handle single bolt through fixing to suit 8mm to 13mm thick glass doors
573585	<b>ARBB-25/30-8/13</b>	Ø 25 mm and Ø 30 mm pull handle single back-to-back fixing to suit 8mm to 13mm thick glass doors

## ARRONE® Grade 316 Range Fixings

ID NO	PRODUCT REF	DESCRIPTION
87104513	<b>AR361FP</b>	Lever handles fixing pack c/w bolt through fixings & screws

ID NO	PRODUCT REF	DESCRIPTION
87105724	<b>AR36/BB</b>	Pull handle back to back fixing pack only (pair)
87105725	<b>AR36/BF</b>	Pull handle bolt through fixing pack only (pair)
87105726	<b>AR36/CF</b>	Pull handle concealed fixing bolts and allen key only (pair)

ID NO	PRODUCT REF	DESCRIPTION	FINISH
87106520	<b>AR36/CF-6-SSS</b>	Concealed fixing pack with 6mm roses (pair)	<b>SSS</b>
87106521	<b>AR36/CF-6-PSS</b>	Concealed fixing pack with 6mm roses (pair)	<b>PSS</b>
87106617	<b>AR36/CF-8-SSS</b>	Concealed fixing pack with 8mm roses (pair)	<b>SSS</b>
87106618	<b>AR36/CF-8-PSS</b>	Concealed fixing pack with 8mm roses (pair)	<b>PSS</b>

ID NO	PRODUCT REF	DESCRIPTION	FINISH
87105702	<b>AR36/60-SSS</b>	6mm rose cover only for 19mm levers (pair)	<b>SSS</b>
87105703	<b>AR36/60-PSS</b>	6mm rose cover only for 19mm levers (pair)	<b>PSS</b>
87105722	<b>AR36/10-SSS</b>	8mm rose cover only for 19mm levers (pair)	<b>SSS</b>
87105723	<b>AR36/10-PSS</b>	8mm rose cover only for 19mm levers (pair)	<b>PSS</b>

ID NO	PRODUCT REF	DESCRIPTION	FINISH
87105739	<b>AR36/60/22-ROSE-SSS</b>	6mm rose cover only for 22mm levers (pair)	<b>SSS</b>
87105740	<b>AR36/60/22-ROSE-PSS</b>	6mm rose cover only for 22mm levers (pair)	<b>PSS</b>

ID NO	PRODUCT REF	DESCRIPTION
87105727	<b>AR36/GS-19</b>	Grub screw only for 19mm lever furniture
87105728	<b>AR36/GS-22</b>	Grub screw only for 22mm lever furniture

ID NO	PRODUCT REF	DESCRIPTION
87105737	<b>AR36/SPINDLE-110</b>	8x110mm spindle only (for doors up to 50mm thick)
87105738	<b>AR36/SPINDLE-125</b>	8x125mm spindle only (for doors up to 60mm thick)

